Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	49	(US-5544048-\$ or US-5751849-\$ or US-4833679-\$ or US-5533035-\$ or US-6003112-\$ or US-6182108-\$ or US-6249283-\$ or US-5019004-\$ or US-5226117-\$ or US-6061519-\$ or US-5974548-\$ or US-6351815-\$ or US-5956454-\$ or US-3878513-\$ or US-4402058-\$ or US-4445195-\$ or US-4633470-\$ or US-4763251-\$ or US-4794521-\$ or US-5347625-\$ or US-5375241-\$ or US-5604850-\$ or US-5579993-\$ or US-5604850-\$ or US-5617557-\$ or US-5634099-\$). did. or (US-5696931-\$ or US-5708843-\$ or US-5724550-\$ or US-5708843-\$ or US-5724550-\$ or US-6140994-\$ or US-6182188-\$ or US-6330643-\$ or US-6339670-\$ or US-6345340-\$ or US-6347361-\$ or US-6466999-\$ or US-6523101-\$ or US-6466999-\$ or US-6801986-\$ or US-6868488-\$ or US-6965905-\$ or US-6999979-\$ or US-6965905-\$ or US-6999979-\$ or US-7024437-\$). did.	USPAT	OR	ON	2006/08/11 12:47
L2	49	(US-5544048-\$ or US-5751849-\$ or US-4833679-\$ or US-5533035-\$ or US-6003112-\$ or US-6182108-\$ or US-6249283-\$ or US-5019004-\$ or US-5226117-\$ or US-6061519-\$ or US-5974548-\$ or US-6351815-\$ or US-5956454-\$ or US-3878513-\$ or US-4402058-\$ or US-4445195-\$ or US-4633470-\$ or US-4763251-\$ or US-4794521-\$ or US-5347625-\$ or US-5375241-\$ or US-5604850-\$ or US-5579993-\$ or US-5634099-\$). did. or (US-5696931-\$ or US-5708843-\$ or US-5724550-\$ or US-5708843-\$ or US-5724550-\$ or US-6140994-\$ or US-6333104-\$ or US-6330643-\$ or US-6339670-\$ or US-6345340-\$ or US-6347361-\$ or US-6345340-\$ or US-6347361-\$ or US-6466999-\$ or US-6523101-\$ or US-6622200-\$ or US-6801986-\$ or US-6868488-\$ or US-6965905-\$ or US-6999979-\$ or US-7024437-\$). did.	USPAT	OR	ON	2006/08/11 12:48

8/11/2006 12:48:40 PM Page 1

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	4	(eric near barsness.in.) and (richard near dettinger.in.) and (brian near olson.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:44
S4	220	(eric near barsness.in.) or (richard near dettinger.in.) or (brian near olson.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/01 16:12
S5	211	(eric near barsness.in.) or (richard near dettinger.in.) or (brian near olson.in.)	US-PGPUB; USPAT	OR	ON	2006/06/27 11:20
S6	227	(eric near barsness.in.) or (richard near dettinger.in.) or (brian near olson.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 11:24
S7	60	,\$6 and signal.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR .	ON	2006/06/22 11:32
S8	17	S7 and instructions.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 11:34
S9 .	1	S8 and block.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 11:34
S10	2990	(copy-and-paste) or (copy near paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 10:30
S11	2747	S10 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 08:38
S12	2158	S11 and code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:21

S13	1937	S12 and create and method	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/01 16:23
S14	19	S10 near code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:26
S15	31	S10 and (create adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:26
S16	17	S14 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:31
S17	29	S15 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:28
S19	448	(717/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/06/22 14:48
S20	12	S10 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:31
S21	11	S20 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/02 07:41
S22	11	S12 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:47
S23	11	S22 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 10:45
S24	10	S13 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/22 14:47

S25	10	S24 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/29 07:57
S26	2990	(copy-and-paste) or (copy near paste)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 10:30
S27	830	S26 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 10:30
S28	789	S27 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:17
S29	5	S28 and create adj method	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/23 10:31
S30	28	eric near "barsness.in.and" richard near "dettinger.in.and" brian near olson.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/27 09:11
S31	8001	(code adj pars\$3) or (code near pars\$3) or (data adj pars\$) or (data near pars\$) or (software adj pars\$3) or (software near pars\$3) or (software adj program adj pars\$3) or ((software adj program) near pars\$3) or (program near pars\$3) or (program adj pars\$3) or (computer adj program) near pars\$3) or (computer adj program) near pars\$3) or (computer adj pars\$3) or (computer near pars\$)	US-PGPUB; USPAT	OR	ON	2006/06/28 11:24
S32	7226	S31 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/27 11:30
S35	4340	(code adj pars\$3) or (data adj pars\$) or (software adj pars\$3) or (software adj program adj pars\$3) or (program adj pars\$3) or (computer adj program adj pars\$3) or (computer adj pars\$3)	US-PGPUB; USPAT	OR	ON	2006/06/28 10:44

S36	3948	S35 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/27 11:30
S37	1580	S32 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/27 11:29
S38	855	S36 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 09:27
S44	1021	code adj pars\$	US-PGPUB; USPAT	OR	ON	2006/06/28 10:44
S45	907	S44 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:22
S46	12	S45 and (compar\$3 adj threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:14
S48	45	S45 and (creat\$3 adj method)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:22
S49	449	(717/106).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/06/28 11:17
S50	379	S49 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:23
S51	664	program adj pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR :	ON	2006/06/28 11:22
S52	617	S51 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/28 11:22

S53	40	computer adj program adj pars\$3	US-PGPUB; USPAT;	OR	ON	2006/06/28 11:23
			USOCR; EPO; JPO; IBM_TDB			
S54	36	S53 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/29 07:57
S56	274	software adj pars\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/06/29 07:57
S57	247	S56 and (@pd<"20031204" or @ad<"20031204" or	US-PGPUB; USPAT;	OR	ON	2006/06/29 07:58
		@prad<"20031204" or @rlad<"20031204")	USOCR; EPO; JPO; IBM_TDB			
S58	247	S56 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT	OR	ON	2006/06/29 07:58
S59	166	((eric near barsness.in.) or (richard near dettinger.in.) or (brian near	US-PGPUB; USPAT;	OR	ON	2006/08/01 16:12
		olson.in.)) and code	USOCR; EPO; JPO; IBM_TDB			
S61	10051	creat\$3 adj method	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/01 16:24
S62	85	S61 and (block adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/01 16:24
S63	1852	(717/120-122,106-107,110,141). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/08/02 07:41
S64	1616	S63 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/02 15:48
S66	1457	S64 and ((inline adj method) or (inline code))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/02 07:43

S67	5	S64 and ((inline adj method) or (inline adj code))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/02 07:48
S69	26	S64 and ((in\$1line near method) or (in\$1line near code) or (in\$1line near function))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/02 08:29
S72	6527	(717/100,101,106-113,120,124,125, 127,128,130,131,136,140,141,151, 152,154,158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/08/07 15:51
S73	2348	S72 and ((software near instumentation) or (in\$1line) or inlining or dll or (dynamic adj link adj library) or optimization)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/03 13:52
S74	2105	S73 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 08:38
S75	345	S74 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/03 13:54
S76	178	S73 and (ide or (integrated adj development adj environment))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/03 13:58
S77	55769	macros or preprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:20
S78	51888	S77 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:16
S79	9333	S78 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:21
S80	352	S79 and invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 13:51

		LAOT Geard	_			
S81	301	S80 not watermark	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:23
S82	244	S81 not financial	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:25
S83	225	S82 not centrex	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:26
S84	137	S83 and (not eye) and (not human)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 09:27
S85	32	S80 and (paste or punch\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:12
S86	1673	S78 and invocation	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:17
S87	179	S86 and (paste or punch\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:17
S88	1521	S86 and code	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:17
S89	162	S88 and (paste or punch\$1out)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:18
S92	17	S89 and ((not genetic) and (not human) and (not e-commerce) and (not spreadsheet))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/04 11:22
S93	38853	(in\$1line or in\$1lining or (software adj instrumentation) or dll or (dynamic adj link adj library) or optimization) with (threshold or size or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:51

S94	36106	S93 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:52
S95	209	S94 and (copy-and-paste or (copy with paste))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:52
S96	34	S95 and (memory adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:52
S97	316810	(in\$1line or in\$1lining or (software adj instrumentation) or dll or (dynamic adj link adj library) or optimization) and (threshold or size or time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:51
S98	298571	S97 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 13:22
S99	1201	S98 and (copy-and-paste or (copy with paste))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 13:23
S10 0	116	S99 and (memory adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:54
S10 1	6527	(717/100,101,106-113,120,124,125, 127,128,130,131,136,140,141,151, 152,154,158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/08/10 08:39
S10 2	2317	S101 and S97	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:54
S10 3	2079	S101 and S98	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:54
\$10 4	56	S101 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/07 15:55

S10 5	6543	(717/100,101,106-113,120,124,125, 127,128,130,131,136,140,141,151, 152,154,158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/08/08 13:23
S10 6	189	S105 and (copy-and-paste or (copy with paste) or clip\$1board)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 13:24
S10 7	391	steven near lee.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/08 13:51
S10 8	50	(US-20050125774-\$ or US-20050246681-\$ or US-20040019874-\$ or US-20040015831-\$ or US-20030149958-\$ or US-20030145308-\$ or US-20030140332-\$ or US-20020184609-\$ or US-20020032900-\$ or US-20020032900-\$ or US-2002003257-\$ or US-20050166190-\$ or US-20050114832-\$ or US-20050188351-\$ or US-20040230945-\$ or US-20040015833-\$ or US-20040015833-\$ or US-20040015832-\$ or US-20030204833-\$ or US-20030204833-\$ or US-20030145312-\$ or US-20030145312-\$ or US-20030195878-\$ or US-20030185220-\$ or US-20030185220-\$ or US-20030185220-\$ or US-20040049768-\$ or US-20040049768-\$ or US-20050050513-\$).did. or	US-PGPUB; USPAT	OR	ON	2006/08/10 08:25
		(US-6067639-\$ or US-7010779-\$ or US-6996803-\$ or US-6938109-\$ or US-6757887-\$ or US-6357039-\$ or US-5903756-\$ or US-5159687-\$ or US-6742175-\$ or US-6408431-\$ or US-4831580-\$ or US-6072951-\$ or US-5937196-\$ or US-6367068-\$ or US-5493680-\$ or US-5901314-\$ or US-6851106-\$ or US-6966054-\$). did.			,	

S11 1	23261	compar\$3 adj threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 09:53
S11 2	21673	S111 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 12:51
S11 4	6553	(717/100,101,106-113,120,124,125, 127,128,130,131,136,140,141,151, 152,154,158).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2006/08/10 12:51
S12 0	23362	(compar\$3 adj threshold) or (compar\$3 adj file adj size) or (compar\$3 adj code adj size)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 09:54
S12 1	28	S120 and S114 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 09:54
S12 2	6	("5212794" "5452440" "5664191" "5689712" "5768595" "5790858").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/08/10 10:06
S12 3	610	S114 and (@pd<"20031204" or @ad<"20031204" or @prad<"20031204" or @rlad<"20031204") and macro	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 12:52
S12 4	93	S123 and preprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2006/08/10 12:52